

**RAGNO** Palazzani  
Aerial Work Platform, Italy

高空工作平台  
**蜘蛛王**

www.pipl.com.hk

# RAGNO Aerial Work Platform, Italy

## \*主要規格 Specification

Specification	曲臂 + 伸縮直臂 Articulated and Telescopic booms			伸縮直臂 + 折疊飛臂 Telescopic Boom with Fly Jib					伸縮直臂 + 折疊伸縮飛臂 Telescopic Boom with Telescopic Fly Jib				
	TZX170	TZX190	TZX225	TSJ23	TSJ27	TSJ30.1	TSJ35	TSJ39	XTJ35	XTJ42	XTJ48		
工作高度 (米) Working Height (M)	16.8	19	22.5	23	27	30	35	39	35	42	48		
最大水平伸展 (米) MAX Outreach (M)	7.8	8.5	10	12	14.5	14.5	14.5	17	17.5	18.5	19.5		
最大工作載荷 (公斤) MAX Working Load (KG)	200	200	200	200	200	200	200	200	200	300	300		
動力 Power Source	BE/ ECO	BE/ ECO	BE/ ECO	BE/ HV/ECO	BE/ HV/ECO	BE/ HV/ECO	BE/ HV/ECO	BE/ HV/ECO	BE/ HV/ECO	BE/ HV/ECO	BE/ HV/ECO		
爬坡力 Gradeability	20%	20%	20%	20%	25%	25%	25%	25%	25%	25%	25%		
收藏尺寸 (米) Stowed Dimension (M)	長 L	4.47	5.15	4.7	5.9	6.21	6.76	7.8	7.8	7.8	8.48	9.12	
	闊 W	without basket	0.98	0.98	0.98	0.98/1.4	0.98/1.4	0.98/1.4	0.98/1.4	1.09/1.5	1.09/1.5	1.16/1.6	1.16/1.6
		with basket	1.4	1.4	1.4	1.95	1.95	1.95	2.4	2.4	2.4	2.4	2.4
	高 H	2	2	2	1.98	1.76	1.76	1.98	2.1	2.1	2.13	2.2	
重量 (公斤) Weight (KG)	2000	2500	2500	3400	4970	5260	5800	7760	7680	9620	11600		

\*以上數據僅供參考

- 1) 以上為輪胎式蜘蛛機數據，如需履帶式設計詳情，請向我們的服務員查詢。
- 2) 本產品已合乎歐盟標準(CE)

### BE雙動力(Bi-Energy):

適用於 (For) TZX170, TZX190, TZX225, TSJ23, TSJ27, TSJ30.1, TSJ35:  
柴油發動機 + 220V 交流電馬達 (Diesel Engine + 220V AC Motor)

適用於 (For) TSJ39, XTJ35, XTJ42 and XTJ48:  
柴油發動機 + 220V 交流電馬達 + 380V 交流電馬達 (Diesel Engine + 220V AC Motor + 380V AC Motor)

### HV混合動力(Hybrid Version):

適用於 (For) TZX170, TZX190, TZX225, TSJ23, TSJ27, TSJ30.1, TSJ35:  
柴油發動機 + 24V 直流電瓶組 + 220V 交流電馬達 (Diesel Engine + 24V DC Batteries + 220V AC Motor)

適用於 (For) TSJ39, XTJ35, XTJ42, XTJ48:  
柴油發動機 + 24V 直流電瓶組 + 380V 交流電馬達 (Diesel Engine + 24V DC Batteries + 380V AC Motor)

### ECO節源環保動力(Ecological Version):

適用於 (For) TZX170, TZX190, TZX225:  
24V 直流電瓶組 + 220V 交流電馬達 (24V DC Batteries + 220V AC Motor)

適用於 (For) TSJ23, TSJ27, TSJ30.1, TSJ35:  
48V 直流電瓶組 + 220V 交流電馬達 (48V DC Batteries + 220V AC Motor)

適用於 (For) TSJ39, XTJ35, XTJ42, XTJ48:  
48V 直流電瓶組 + 220V 交流電馬達 + 380V 交流電馬達 (48V DC Batteries + 220V AC Motor + 380V AC Motor)

# RAGNO "蜘蛛王" 高空工作平台




Proficiency Industrial

## 基本性能 STANDARD FEATURES

機身360度旋轉的無限制工作體驗

配合多種安全配置，使高空工作更安全、可靠及更得心應手



- ▶ 鋼製伸縮臂
- ▶ *The Steel Telescopic Boom*



- ▶ 工作籃可向左右旋轉
- ▶ 籃內設有無線電對講機與地面保持聯絡
- ▶ 交流電插座於籃內
- ▶ *The cage can be rotated in both directions.*
- ▶ *Intercommunication System between ground and cage control.*
- ▶ *Single Phase AC power outlet on cage*



- ▶ 蜘蛛腿能隨環境擺放
- ▶ *Articulated stabilizer legs to suit different ground settings*



- ▶ 每隻蜘蛛腿附雙重安全壓力感應
- ▶ *Each stabilizer leg is equipped with two pressure sensors for better safety*



### 全新輕觸式螢幕設計 Innovative touch screen design

- ▶ 全新輕觸式螢幕為使用者帶來全面而實時的資訊，如蜘蛛腿的壓力數據及操作狀態等等。
- ▶ *The new touch screen monitor will provide you with variety and immediate information about leg pressure, machine condition and so on.*

\*以上資料僅供參考，有關各型號之詳細配置及規格，請向我們的服務員查詢。

